



# TOWN OF CARVER

## Permitting Departments

### PUBLIC MEETING NOTICE

POSTED IN ACCORDANCE WITH THE PROVISIONS OF M.G.L. CHAPTER 30A, SECTION 20B

### BOARD OF HEALTH MEETING AGENDA

February 12, 2019

5:00 PM

Carver Town Hall Room #3

#### Public Hearings:

1. On the application of Kevin Karagow requesting the following variances associated with a septic system upgrade at 77 Crystal Lake Drive, Carver, Ma. on a 8,000 sq. ft. lot, pursuant to 310 CMR 15.405 Local Upgrade Approval.

310 CMR 15.211 Distances

Required: The septic tank shall be 10 feet from a cellar wall

Provided: The septic tank is 5 feet from a cellar wall

Required: Soil absorption system shall be 20 feet from a cellar wall

Provided: Soil absorption system is 14 feet from a cellar wall

Required: Soil absorption system shall be 10 feet from the property line

Provided: Soil absorption system is 6 feet from the front property line and 8 feet from the side lot  
Line

Required: Soil absorption system shall be 100 feet from a well

Provided: Soil absorption system is approximately 64 feet from the locus well

Soil absorption system is approximately 50 feet from the well on lot 42, 75 Crystal Lake  
Drive

Soil absorption system is approximately 57 feet from the well on lot 44, 79 Crystal Lake  
Drive

Soil absorption system is approximately 70 feet from the well on lot 50, 78 Crystal Lake  
Drive

**Discussion:**

1. Vote on adoption of donation bin regulations
2. Board of Health vacancy
3. Illegal dumping fines

**Other Business**

- A. Approve minutes from Jan. 8<sup>th</sup>, 2019
- B. Correspondence (if any)
- C. Set next meeting date
- D. Adjournment