



TOWN OF CARVER

Permitting Departments

PUBLIC MEETING NOTICE

POSTED IN ACCORDANCE WITH THE PROVISIONS OF M.G.L. CHAPTER 30A, SECTION 20B

BOARD OF HEALTH MEETING AGENDA

January 16, 2018

5:00 PM

Carver Town Hall Room #3

Public Hearing:

1. On the application of Robert Wheeler requesting the following variances associated with a septic system upgrade at 50 Bunnys Road Carver, Ma. on a 16,562 sf lot.
 - A. Design flow criteria 310 CMR 15.203-Allow design flow based on existing 2 bedroom house instead of required 330 gallons per day.
 - B. Setbacks 310 CMR 15.405 (1)(a)-Reduction in required property line setback from 10 feet to 4 feet.
 - C. System cover 310 CMR 15.405 (1)(b)-Increase in allowable depth of system components from 3 feet to 5 feet.
 - D. Well separation 310 CMR 15.405 (1)(g)-Reduction in required well separation 27 feet to septic tank instead of 50 feet and 50 feet to S.A.S. instead of 100 feet.
 - E. Observation holes 310 CMR 15.405 (1)(k)-One deep hole soil evaluation in proposed S.A.S. area.

Discussion:

1. Restaurant Inspections update

Other Business

- A. Approve minutes from Nov. 21, 2017
- B. Correspondence (if any)
- C. Set next meeting date
- D. Adjournment

